



Prescription Formulary

This formulary outlines the medications that authorized podiatrists in Manitoba are permitted to prescribe, administer, or recommend within the scope of their professional practice. It is intended as a reference tool for healthcare providers, pharmacists, and regulatory stakeholders to ensure consistent, safe, and informed care for patients receiving podiatric treatment. The inclusion of each medication has been reviewed and approved in alignment with current provincial guidelines and clinical best practices.

Contact Us





registrar@copom.ca



www.copom.ca





1661 Portage Ave. Suite 307





ANTIBIOTICS (TOPICAL)



- Bacitracin
- Framycetin sulfate
- Fusidic acid
- Gentamicin sulfate
- Mupirocin
- Silver sulfadiazine
- Erythromycin
- Bacitracin/neomycin sulphate
- Neomycin sulphate/polymyxin B sulphate/bacitracin
- Neomycin sulphate/polymyxin B sulphate/gramicidin
- Metronidazole





ANTIFUNGALS (TOPICAL)



- Ciclopirox olamine Clotrimazole
- Efinaconazole
- Ketoconazole
- Miconazole nitrate
- Nystatin
- Tavaborole
- Terbinafine HCl
- Tolnaftate
- Undecylenic acid






CORTICOSTEROIDS (TOPICAL)

- Amcinonide
- Betamethasone dipropionate
- Betamethasone valerate
- Clioquinol/hydrocortisone
- esoximetasone Flumethasone/cliquinol
- Fluocinonide
- Halcinonide
- Hydrocortisone
- Hydrocortisone 17 valerate
- Mometasone furoate
- Triamcinolone acetonide





COMBINATION ANTI- INFECTIVE/ANTI- INFLAMMATORY AGENTS



(TOPICAL)

- Betamethasone Dipropionate / Clotrimazole
- Fusidic Acid / Hydrocortisone Acetate
- Polymycin B SO₄ / Bacitracin (Zinc) / Neomycin SO₄ / Hydrocortisone
- IMMUNE RESPONSE MODIFIER (TOPICAL)
- Imiquimod





COMBINATION ANTI- INFECTIVE/ANTI- INFLAMMATORY AGENTS




CAUSTICS (TOPICAL)


- Cantharidin Podophyllin
- Cantharidin Podophyllin / Salicylic acid combination (one percent or less)
- Cantharidin with two percent or less Podophyllin with 30 percent or less Salicylic acid)
- Phenol solution (89 percent)
- Salicylic acid (70 percent or less)
- Silver Nitrate (95 percent or less)
- 5-Fluorouracil (five percent or less)
- Salicylic acid / lactic acid combination (Salicylic acid 16.7 percent and Lactic acid 16.7 percent in flexible collodion)
- Salicylic acid/ lactic acid / formalin combination (Salicylic acid 25 percent, Lactic acid 10 percent, Formalin 5 percent)



ASTRINGENTS (TOPICAL)





- Aluminum Acetate / Benzethonium Chloride
- Aluminum Chloride Hexahydrate





ANALGESICS (TOPICAL)



- Benzocaine
- Capsacin
- Diclofenac diethylamine
- Lidocaine/prilocaine





WOUND CARE AGENTS (TOPICAL)



- Becaplermin
- Santyl collagenase





LOCAL ANESTHETICS (INJECTABLE)



- Bupivacaine
- Lidocaine hydrochloride (with or without epinephrine)
- Mepivacaine hydrochloride





CORTICOSTEROIDS (INJECTABLE)



- Betamethasone sodium phosphate/
betamethasone acetate
- Dexamethasone sodium phosphate
- Hydrocortisone sodium succinate
- Methylprednisolone acetate
- Triamcinolone acetonide





IN-OFFICE EMERGENCY MEDICATIONS



- Oxygen (inhaled)
- Epinephrine (IM)
- Antihistamines – Diphenhydramine hydrochloride (oral or parenteral)
- ASA (oral)





ANTIBIOTICS (ORAL)

- Amoxicillin
- Amoxicillin Trihydrate / Potassium Clavulanate Cloxacillin
- Penicillin V
- Azithromycin
- Erythromycin
- Cefadroxil
- Cephalexin monohydrate
- Clindamycin hydrochloride
- Tetracycline
- Ciprofloxacin
- Metronidazole
- Sulfamethoxazole / Trimethoprim (Co-Trimoxazole)





NON-STEROIDAL ANTI- INFLAMMATORY AGENTS (ORAL)

- Diclofenac potassium
- Diclofenac sodium
- Diclofenac sodium/misoprostol
- Diflunisal
- Ibuprofen
- Indomethacin Meloxicam
- Ketorolac tromethamine Naproxen
- Naproxen sodium Tiaprofenic acid

